- Phylloscopus
  - Wing-bar
    - Wing-bar present
      - Tertial edges prominently white/pale
        - White outer margins to tail
          - Face grey, underparts yellow — **Ashy-throated Warbler (P. maculipennis)**
          - Face not grey, two buff-orange wing bars — **Buff-barred Warbler (P. pulcher)**
        - No White outer margins to tail
          - Coronal stripe weak/absent, supercilium may/may not be yellow
            - **Yellow-browed Warbler, Hume's Warbler (P. inornatus)**
            - **Hume's Warbler (P. humei)**
          - Supercilium and coronal stripe yellowish
            - Coronal stripe strong, eye-stripe hooks under ear coverts — **Lemon-rumped Warbler (P. chloronotus)**
            - Coronal stripe weak or indistinct, eye-stripe does not hook under ear coverts — **Brook's Leaf Warbler (P. subviridis)**
      - Tertial edges NOT prominently white/pale
        - Coronal stripe present
          - Coronal stripe, supercilium, breast and vent bright yellow — **Yellow-vented Warbler (P. cantator)**
          - Coronal stripe, supercilium, breast and vent NOT yellow
            - Wing bars broad and prominent, two in number — **Blyth's Leaf Warbler (P. reguloides)**
            - Wing bars narrow, only one visible (upper indistinct) — **Western Crowned Warbler (P. occipitalis)**
        - Coronal stripe absent
          - Supercilium, cheek, throat and breast yellowish — **Bright Green Leaf Warbler (P. nitidus)**
          - Supercilium yellowish/white, throat white — **Greenish Warbler (P. trochiloides)**
          - Supercilium yellowish, cheek and breast dirty mottled, large bill — **Large-billed Leaf Warbler (P. magnirostris)**
    - Wing-bar absent
      - Underparts AND supercilium yellow
        - Supercilium concolourous with throat (underparts canary yellow) — **Tickell's Leaf Warbler (P. affinis)**
        - Supercilium brighter than throat (underparts oil yellow/dirty yellow) — **Sulphur-bellied Warbler (P. griseolus)**
      - Supercilium buff/white/yellowish/indistinct, underparts not yellow
        - Overall colour very dark
          - Supercilium pale, prominent — **Dusky Warbler (P. fuscatus weigoldi and P. f. mariae)**
          - Supercilium long, yellowish-green/dusky yellow, indistinct — **Smoky Warbler (P. fuligiventer)**
        - Overall colour NOT very dark
          - Supercilium white, long (reaches nape) and broad, eye-stripe strong black — **Tytler's Leaf Warbler (P. tytleri)**
          - Supercilium whitish, broader in front of eye — **Mountain Chiffchaff (P. sindianus)**
          - Supercilium buffy, narrower in front of eye — **Common Chiffchaff (P. collybita)**
          - Supercilium weak buff, not well-defined behind eye — **Plain Leaf Warbler (P. neglectus)**
          - Supercilium narrow whitish, clearer in front of eye, vent buffy — **Dusky Warbler (P. fuscatus fuscatus)**